Amendment dated

AMENDMENTS TO THE CLAIMS

Docket No.: 225300-104849

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Previously Amended) A headliner for trimming a passenger compartment of a vehicle roof

having a non-flat, contoured, passenger compartment-facing inboard surface, the headliner

comprising:

a core layer including a first polymer material having heat absorbing properties, the core

layer having inboard and outboard surfaces;

a first film layer bonded without an adhesive to the outboard surface of the core layer and

including a second polymer material having heat reflection properties, the second material is coated

with a metallic material to define a heat formable metalized film layer formed to define a non-flat

topography that matches the non-flat, contoured, passenger-compartment-facing inboard surface of

the vehicle roof; and

a second film layer disposed on the inboard surface of the core layer and exposed to the

passenger compartment;

wherein the heat formable layer of metalized film layer is positioned completely against the

non-flat, contoured, passenger-compartment-facing inboard surface of the vehicle roof without any

air gap therebeteween.

2. (Previously Amended) The vehicle panel of claim 1, wherein the first material is heat bondable to

the second material.

3. (Previously Amended) The vehicle panel of claim 2, wherein the polymer of the second material

that forms the heat formable metalized film layer comprises polyethylene terepthalate (PET).

4-8. (Previously Canceled)

Docket No.: 225300-104849

Application No. 10/566,850 Amendment dated Reply to Office Action of February 1, 2011

9. (Previously Amended) An assembly of a vehicle including at least two panels, the assembly comprising:

a structural outer roof panel of a vehicle having a non-flat, contoured, passenger-compartment-facing inboard surface;

a passenger compartment interior trim panel disposed adjacent the structural outer roof panel of the vehicle and having an outboard surface defining a non-flat topography that matches the non-flat, contoured, passenger-compartment-facing inboard surface of the structural outer roof panel, the passenger compartment interior trim panel comprising:

a core layer having inboard and outboard surfaces;

a heat formable metalized film layer bonded to the outoard surface of the core layer and defining a non-flat topography that matches the non-flat, contoured, passenger-compartment-facing inboard surface of the structural outer roof panel, the heat formable metalized film layer positioned completely against the passenger-compartment-facing inboard surface of the structural outer roof panel without an air gap between the structural outer roof panel and the passenger compartment interior trim panel; and

a decorative layer disposed on the inboard surface of the core layer and exposed to the passenger compartment.

- 10. (Previously Amended) The assembly of claim 9, wherein the core layer includes a first material and the heat formable metalized film layer includes a second material, the first material being compatible with the second material and each of the first material and the second material includes a polymer material.
- 11. (Previously Amended) The assembly of claim 10, wherein the polymer material of the second material that forms the heat formable metalized film layer comprises polyethylene terepthalate (PET).
- 12. (Previously Amended) The assembly of claim 10, wherein said first material of the core layer comprises an insulating material.

Application No. 10/566,850 Docket No.: 225300-104849

Amendment dated

Reply to Office Action of February 1, 2011

13. (Previously Amended) The assembly of claim 12, wherein the first material of the core layer

comprises polypropylene.

14. (Previously Amended) The assembly of claim 9, wherein the passenger compartment interior

trim panel comprises a headliner.

15. (Previously Canceled)

16. (Previously Withdrawn) A method of manufacturing a vehicle panel having a non-flat

topography, comprising the steps of:

positioning a core layer on a first mold half of a mold tool;

positioning a heat formable metalized film on a second mold half of the mold tool; and

closing the first and second mold halves and applying heat to the core layer such that the heat

from core layer is transferred to the metalized film, whereby the metalized film becomes formable

and bonds to the core layer, and whereby the metalized film forms a metalized contoured panel

matching an exterior surface of a vehicle.

17. (Previously Withdrawn) The method of claim 16, wherein the vehicle panel is attached to a

vehicle surface substantially without an air gap.

18. (Previously Amended) A vehicle roof construction comprising:

an outer structural panel having an outer surface and a passenger-compartment-facing

inboard surface, wherein the outer structural panel forms a non-flat vehicle roof; and

an interior trim panel having a vehicle-roof-facing outboard surface and an inner surface, the

interior trim panel forming a headliner adjacently-attached to the passenger-compartment-facing

inboard surface without an air gap therebetween, the headliner comprising:

a thermoformed film layer facing and attached to the passenger-compartment-facing

inboard surface of the vehicle roof;

Docket No.: 225300-104849

Amendment dated

Application No. 10/566,850

Reply to Office Action of February 1, 2011

a core layer heat bonded to the film layer, the core layer including a first material

having heat absorbing or insulating properties a second material having heat-reflecting

properties, each of the first material and the second material including a polymer material,

wherein the second material that forms the film layer is coated with a metallic material to

define a metalized film layer; and

a decorative layer disposed on an inboard surface of the core layer and forming the

inner surface of the interior trim panel.

19. (Previously Presented) The vehicle roof construction of claim 18, wherein the polymer material

comprising the second material of the metalized film layer comprises:

a polyethylene terepthalate (PET).

20-21. (Previously Canceled)

22. (Previously Amended) The vehicle roof construction of claim 18, further comprising a second

layer attached thereto or a surface opposite of the metalized film layer.

23. (Previously Amended) The vehicle roof construction of claim 22, wherein the second layer is a

fabric material.

24. (Currently Amended) The vehicle panel of claim 1, wherein the second film layer comprises

at least one of a metalized film and fabric.

25. (Currently Amended) The vehicle panel of claim 9, wherein the decorative layer comprises

at least one of a metalized film and fabric.

26. (Currently Amended) The vehicle panel of claim 18, wherein the decorative layer comprises

at least one of a metalized film and fabric.

Application No. 10/566,850 Docket No.: 225300-104849

Amendment dated Reply to Office Action of February 1, 2011

27. (New) The vehicle panel of claim 1, wherein the second film layer comprises a fabric.

28. (New) The vehicle panel of claim 9, wherein the decorative layer comprises a fabric.

29. (New) The vehicle panel of claim 18, wherein the decorative layer comprises a fabric.